

Referencer

Klassiske teknikker og beskrivelser

1. Burgess EM, Romano RL, Zettl JH, Copenhaver W. Amputations of the leg for peripheral vascular insufficiency. J Bone Joint Surg Am. 1971;53(5):874-890.
2. Persson BM, Liedberg E. Sagittal incision for below-knee amputation in ischemic disease. Acta Orthop Scand. 1983;54(2):199–205.
3. Ertl J. Die amputationsstumpf mit knochenbrücke. Chirurg. 1949;20:218-224.
4. Greene RW. Through-knee amputation: a preliminary report. J Bone Joint Surg Am. 1968;50(2):335-354.
5. Mazet R Jr. The through-knee amputation: technique and indications. Clin Orthop Relat Res. 1979;(144):184-188.
6. Gritti A. Sopra un nuovo metodo di amputazione del femore. Ann Univ Med. 1857;172:5-19.
7. Stokes W. On a new method of amputation at the knee joint. Dublin Q J Med Sci. 1870'erne (klassisk reference, ofte citeret i reviews).
8. Holstein A. Knee disarticulation: surgical technique and prosthetic management. Acta Orthop Scand. 1950'erne.
9. Kjølbye J. Amputations through the leg with special reference to the treatment of ischemic gangrene. Acta Chir Scand. 1950'erne.

Muskel- og nervehåndtering

10. Gottschalk FA, Kourosh S, Stills M, McClellan B, Roberts J. Does myodesis improve functional outcome in above-knee amputations? J Bone Joint Surg Am. 1989;71(1):83-90.
11. Farrell CM, et al. Transfemoral amputations with myodesis: outcomes and complications. Prosthet Orthot Int. 2013;37(5):414-420.
12. Dellon AL. Treatment of symptomatic cutaneous neuromas by relocation into muscle. Plast Reconstr Surg. 1984;73(6):1009-1012.
13. Dumanian GA, Potter BK, Mioton LM, et al. Targeted muscle reinnervation treats neuroma and phantom pain in major limb amputees: a randomized clinical trial. Ann Surg. 2019;270(2):238-246.

14. Kubiak CA, Kemp SWP, Cederna PS, Kung TA. Prophylactic regenerative peripheral nerve interfaces to prevent postamputation pain. *Plast Reconstr Surg*. 2019;144(3):421e-430e.

Hudlukning (suturer vs. clips)

15. Chandrashekar B, Kaman L, Singh R, Behera A. Sutures versus staples for skin closure in orthopaedic surgery: a meta-analysis of randomized controlled trials. *World J Orthop*. 2017;8(6):491-497.

16. Mahmood B, Suresh P. Sutures versus staples for skin closure in orthopaedic surgery: meta-analysis. *Int J Surg*. 2014;12(5):437-444.

Dræn, tourniquet, knoglekanter

17. Finsen V, Persen L, Lingaas PS. Drainage in lower limb amputation: a prospective randomized study. *Acta Orthop Scand*. 1988;59(3):301-303.

18. Pinzur MS. Surgical techniques for amputation at the level of the knee. *Clin Orthop Relat Res*. 2004;(423):145-151.

19. Murdoch G, Wilson AB. *Amputation: Surgical Practice and Patient Management*. Butterworth-Heinemann; 1996.

Reviews, outcomes og nyere litteratur

20. Nehler MR, Coll JR, Hiatt WR, et al. Functional outcome in a contemporary series of major lower extremity amputations. *J Vasc Surg*. 2003;38(1):7-14.

21. Sinha R, van den Heuvel WJA, Arokiasamy P. Factors affecting quality of life in lower limb amputees. *Prosthet Orthot Int*. 2011;35(1):90-96.

22. Gailey RS, Allen K, Castles J, Kucharik J, Roeder M. Review of secondary physical conditions associated with lower-limb amputation and long-term prosthesis use. *J Rehabil Res Dev*. 2008;45(1):15-29.

23. Garaud J, et al. The Gritti-Stokes amputation: is it still a reliable technique in the 21st century? A narrative review. *Int Orthop*. 2024.

24. Smith DG, Michael JW, Bowker JH. *Atlas of Amputations and Limb Deficiencies*. 5th ed. Rosemont: AAOS; 2020.